



CENTRE FOR GLOBAL
MENTAL HEALTH

KING'S
College
LONDON

Evidence for reducing stigma and discrimination in mental health

Professor Sir Graham Thornicroft
graham.thornicroft@kcl.ac.uk

Presented to: Danish Health Authority meeting 17.01.22



WHO Collaborating Centre

Plan

- defining stigma and discrimination
- evidence for effective interventions
- examples of good practice

Plan

- defining stigma and discrimination
- evidence for effective interventions
- examples of good practice

Reaction by neighbours to proposed community mental health centre in Yorkshire



GRAHAM THORNICROFT



SHUNNED


discrimination against people with mental illness

WINNER - MENTAL HEALTH CATEGORY

BMA MEDICAL BOOK AWARDS 2007

OXFORD

What is stigma?




Source: Thornicroft G, et al.
Brit. J Psychiatry. 2007;190:192-3

Social exclusion and stigma

Poorer prospects for:

- employment, promotion and pay
- marriage
- access to mental health care
- access to physical health care
- life expectancy

Premature mortality: years of life lost



Sources: Wahlbeck K. et al British Journal of Psychiatry, 2011
Fekadu A. et al British Journal of Psychiatry, 2015

Original Investigation | META-ANALYSIS

Mortality in Mental Disorders and Global Disease Burden Implications

A Systematic Review and Meta-analysis

Elizabeth Reisinger Walker, PhD, MPH, MAT; Robin E. McGee, MPH; Benjamin G. Druss, MD, MPH

JAMA Psychiatry. doi:10.1001/jamapsychiatry.2014.2502

Published online February 11, 2015.

or unknown causes. The median years of potential life lost was 10 years (n = 24 studies). We estimate that 14.3% of deaths worldwide, or approximately 8 million deaths each year, are attributable to mental disorders.

CONCLUSIONS AND RELEVANCE These estimates suggest that mental disorders rank among the most substantial causes of death worldwide. Efforts to quantify and address the global burden of illness need to better consider the role of mental disorders in preventable mortality.

Why is life expectancy 20 years less for people with severe mental illness ?



Suicide?

No. Only 11% of all relevant deaths



Physical conditions?

Yes. Cardiac and pulmonary disease more common due to lifestyle, smoking, diet, lack of exercise and worse physical health care

Editorial

Physical health disparities and mental illness: the scandal of premature mortality†

Graham Thornicroft

EDITORIALS

Premature death among people with mental illness

At best a failure to act on evidence; at worst a form of lethal discrimination

Graham Thornicroft *professor of community psychiatry*

Health Service and Population Research Department, King's College London, Institute of Psychiatry, London SE5 8AF, UK

Management of physical health conditions in adults with severe mental disorders

WHO GUIDELINES



World Health
Organization

Key message:


Mental illnesses *are*
killer diseases

Structural / systemic
discrimination

Why is there a mental health gap?

HUMAN RESOURCES

Only 1% of the global health workforce works in mental health



Plan

- defining stigma and discrimination
- evidence for effective interventions
- examples of good practice

Evidence for effective interventions to reduce mental-health-related stigma and discrimination

Graham Thornicroft, Nisha Mehta, Sarah Clement, Sara Evans-Lacko, Mary Doherty, Diana Rose, Mirja Koschorke, Rahul Shidhaye, Claire O'Reilly, Claire Henderson


www.thelancet.com Published online September 23, 2015 [http://dx.doi.org/10.1016/S0140-6736\(15\)00298-6](http://dx.doi.org/10.1016/S0140-6736(15)00298-6)

What have we learned so far?



Social contact works:

- The most critical active ingredient for stigma reduction
- So people with experience of mental illness are central




Virtual/filmed/internet non-direct social contact:

- Perhaps as good as live contact
- Allows scaling up to whole populations



For young people:

- Contact needs to happen in educational settings



Low-middle income countries

- Where 85% of world population live
- Little data on how to reduce stigma

Evidence at the country level

Anti-stigma campaigns

in order of initiation

1997 New Zealand
Like Minds Like Mine
mentalhealth.org.nz

2000 Australia
Beyond Blue
beyondblue.org.au

2002 Scotland
See Me
seemescotland.org

2007 England
Time to Change England
time-to-change.org.uk

2009 USA
BringChange2Mind
bringchange2mind.org

2009 Sweden
Hjärnkoll
hjärnkoll.se

2009 Canada
Opening Minds
mentalhealthcommission.ca

2010 Catalonia, Spain
Programa de Salud Mental
decada4.es

2010 Ireland
See Change
seechange.ie

2011 The Netherlands
Samen Sterk tegen Stigma
samensterktegenstigma.nl

2011 Denmark
One of Us
one-of-us.nu

2011 Wales
Time to Change Wales
timetochangewales.org.uk

Time to Change



- social marketing: television, radio, press and events
- all content based on concept of **social contact**
- creating ways for people ***without*** lived experience of mental ill health to contact people who ***do***

BJPpsych

The British Journal of Psychiatry

Reducing stigma and discrimination: Evaluation of England's Time to Change programme

Edited by Claire Henderson and Graham Thornicroft

Editorials

- s45 **Evaluation of the Time to Change programme in England 2008–2011**
C. Henderson and G. Thornicroft
- s49 **Anti-stigma campaigns: time to change**
M. Smith

Papers

- s51 **Public knowledge, attitudes and behaviour regarding people with mental illness in England 2009–2012**
S. Evans-Lacko, C. Henderson and G. Thornicroft
- s58 **Experiences of discrimination among people using mental health services in England 2008–2011**
E. Corker, S. Hamilton, C. Henderson, C. Weeks, V. Pinfold, D. Rose, P. Williams, C. Flach, V. Gill, E. Lewis-Holmes and G. Thornicroft
- s64 **Newspaper coverage of mental illness in England 2008–2011**
A. Thornicroft, R. Goulden, Guy Shefer, D. Rhydderch, D. Rose, P. Williams, G. Thornicroft and C. Henderson
- s70 **Mental health problems in the workplace: changes in employers' knowledge, attitudes and practices in England 2006–2010**
C. Henderson, P. Williams, K. Little and G. Thornicroft
- s77 **Influence of Time to Change's social marketing interventions on stigma in England 2009–2011**
S. Evans-Lacko, E. Malcolm, K. West, D. Rose, J. London, N. Rüsch, K. Little, C. Henderson and G. Thornicroft

- s89 **Anti-stigma training for medical students: the Education Not Discrimination project**
B. Friedrich, S. Evans-Lacko, J. London, D. Rhydderch, C. Henderson and G. Thornicroft
- s95 **Economic evaluation of the anti-stigma social marketing campaign in England 2009–2011**
S. Evans-Lacko, C. Henderson, G. Thornicroft and P. McCrone

Invited commentaries

- s102 **Time to Change campaign through the eyes of a service user. Invited commentary on . . . Evaluation of England's Time to Change programme**
M. Nettle
- s104 **Time to Change from the perspective of a family member. Invited commentary on . . . Evaluation of England's Time to Change programme**
S. P. Hinshaw
- s106 **It is time to change our cultural context. Invited commentary on . . . Evaluation of England's Time to Change programme**
B. G. Link
- s108 **Time to change, time to evaluate. Invited commentary on . . . Evaluation of England's Time to Change programme**
N. Sartorius

Acta Psychiatrica Scandinavica

SUPPLEMENTUM

VOL. 134 • SUPPL. 446 • AUGUST 2016

Effectiveness of national anti-stigma
programmes: Canada, England and
Sweden

A decade of progress – public attitude changes



Around 4.1 million people have improved attitudes

General population - intended behaviour changes (2009-16)

+15% willingness to live with a person with mental health problem

+11% willingness to work with ...

+10% willingness to live near to...

+6% willingness to continue a relationship with...

Experienced discrimination – changes 2008-2014

**Thanks to you, people are facing
less mental health discrimination.**

7%
less
discrimination
from family

15%
less
discrimination
from friends

10%
less
discrimination
in dating

Time to Change in England: overview

- consistent pattern of positive changes
- for knowledge, attitudes & behaviour outcomes
- most positive change is for service users reports of experienced discrimination – down > 11%
- campaign awareness <----> more disclosure

Changes in attitudes, intended behaviour, and mental health literacy in the Swedish population 2009–2014: an evaluation of a national antistigma programme

L. Hansson, S. Stjernswärd, B. Svensson

Department of Health Sciences, Lund University, Lund, Sweden

- Attitudes, mental health literacy, and intended behaviour showed positive changes during the campaign period.
- Social contact was a main source for interventions and campaign events.
- Duration of campaign was related to changes in attitudes, knowledge, and behaviour.

Conversations change lives

Global anti-stigma toolkit

let's end mental health discrimination



Credits: Sue Baker (TTC Global), BNBR Kenya, Champions, MH Society of Ghana

NEWS

[Home](#)[Coronavirus](#)[US Election](#)[UK](#)[World](#)[Business](#)[Politics](#)[Tech](#)[Science](#)[H](#)[US & Canada](#)

Michelle Obama: Former US first lady says she has 'low-grade depression'

🕒 6 August 2020



🔗 Share



Michelle Obama spoke of her dismay at much of what is going on in the US

Former US First Lady Michelle Obama has said she is suffering from "low-grade depression" because of the pandemic, racial injustice and the "hypocrisy" of the Trump administration.

SUPPORT OUR WORK

DONATE

FUNDRAISE

GIVING IN MEMORY

REMEMBER US

CORPORATE PARTNERSHIPS

MAJOR GIFTS

OTHER WAYS TO SUPPORT
YOUNGMINDS

HEADS TOGETHER

#HELLOYELLOW

HEADS TOGETHER

Heads Together is a mental health campaign led by The Royal Foundation in partnership with YoungMinds and seven other charities. The aim of the campaign is to challenge mental health stigma and change the national conversation on mental wellbeing.



Announcing the *Lancet* Commission on stigma and discrimination in mental health

Graham Thornicroft, Charlene Sunkel

Published **Online**

November 5, 2020

[https://doi.org/10.1016/S0140-6736\(20\)32203-0](https://doi.org/10.1016/S0140-6736(20)32203-0)

Centre for Global Mental Health and Centre for Implementation Science, Institute of Psychiatry, Psychology and Neuroscience, King's College London, London SE5 8AF, UK (GT); and Global Mental Health Peer Network, Johannesburg, South Africa (CS)

Contribute your experiences and views via:

<https://indigo-group.org/the-lancet-commission-on-stigma-and-discrimination-in-mental-health-lcs/>

Or search: indigo & stigma & lancet commission

Summary

- defining stigma and discrimination
- evidence for effective interventions
- examples of good practice

Key points

- stigma & discrimination **can be reduced**
- active ingredient is **social contact**
- people with **lived experience** are key change agents
- needs **long-term** commitment
- work at **all levels**: population, local, organisations and individuals
- focus on **social inclusion** and human rights
- evaluate impacts over time

Depression
Let's talk

Social Contact

LetsTalk

www.who.int/depression/en





OVERCOMING BARRIERS IN MINDS AND SOCIETY

8TH CONFERENCE – TOGETHER AGAINST STIGMA



COPENHAGEN 2017
20 - 22 SEPTEMBER

Øksnehallen
Halmtorvet 11
1700 Copenhagen, Denmark

DANISH
REGIONS



DANISH HEALTH
AUTHORITY

TrygFonden

ONE OF US





PsyklInfo

Har du brug for en at tale med
eller for viden om psykiatri?

Så kan du ringe til:
PsyklInfo's anonyme rådgivning,
Hjælpeteltet er for alle - også på weekend!

Tlf. 99 44 45 46

www.psyklinfo.regionpsykiatrimark.dk



PsyklInfo

EN AF OS



Contact

Email: graham.thornicroft@kcl.ac.uk