

Søgeprotokol for Nationale Kliniske Retningslinjer (120115/BHP)

Projektitel/aspekt	NKR Rehabilitering efter prostatakræft – Søgning efter primærlitteratur
Fagkonsulent /projektleder	Eik Bjerre / Rasmus Trap Wolf
Søgespecialist	Kirsten Birkefoss
Senest opdateret	06.04.2016

Fokuserede spørgsmål	<p>PICO 1 Bør alle patienter med prostatakræft tilbydes systematisk vurdering for depression fremfor vanlig praksis?</p> <p>PICO 2 Bør patienter med prostatakræft, der påbegynder kastrationsbaseret behandling, tilbydes moderat til intensiv superviseret træning fremfor vanlig aktivitet?</p> <p>PICO 3 Bør patienter med prostatakræft, der har været i kastrationsbaseret behandling i mindst 6 måneder, tilbydes moderat til intensiv superviseret træning?</p> <p>PICO 4 Bør mænd som efter prostatektomi for prostatakræft er inkontinente tilbydes bækkenbundstræning?</p> <p>PICO 5 Bør alle patienter med prostatakræft tilbydes sexologisk rådgivning?</p> <p>PICO 6 Bør patienter med prostatakræft i kastrationsbaseret behandling tilbydes regelmæssig undersøgelse for kardio-vaskulære risikofaktorer?</p> <p>PICO 7 Bør patienter med prostatakræft der påbegynder kastrationsbaseret behandling tilbydes undersøgelse for knoglemineraltæthed?</p> <p>PICO 8 Bør patienter med prostatakræft tilbydes gruppebaseret rehabilitering fremfor individbaseret?</p>
Søgetermer	Se søgestrategierne under de enkelte PICOs/PIROs
Inklusions- og eksklusionskriterier	<p>Sprog: Engelsk, tysk, dansk, norsk og svensk</p> <p>År: Sidste 10 år (2005 -2015)</p> <p>Population: Mænd 18 år -</p> <p>Publikationstyper: Randomiserede studier (også observationelle studier for PICO 6 og 7)</p>

Informationskilder

DATABASE	INTERFACE	DATO FOR SØGNING
Medline	OVID	05.01.2015 - 19.03.2016
EMBASE	OVID	05.01.2015 - 19.03.2016
CINAHL	EBSCO	05.01.2015 - 19.03.2016
PSYCINFO	OVID	05.01.2015 - 19.03.2016
Pedro	Internettet	05.01.2015 - 19.03.2016

Note

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldtekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer den enkelte søgestreng genererer

SØGESTRATEGI

Randomiserede studier (og observationelle studier for PICO 6 og 7)

PICO 1

Søgt 20.02.2016

Medline

Database(s): **Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present**
Search Strategy:

#	Searches	Results
1	exp Prostatic neoplasms/	101156
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	98817
3	1 or 2	123248
4	Depressive disorders/	63482
5	anxiety/ or exp anxiety, castration/ or exp catastrophization/	60756
6	(HADS or HAMD or Hamilton* or Goldberg* or Major Depression Inventory or MDI).ti,ab,kw.	27208
7	(depress* or distress* or anxiety or melancholi* or catastrophi*).ti,ab,kw,sh,kf,hw.	619034
8	(unipolar disorder or emotional function*).ti,ab,kw.	2700
9	4 or 5 or 6 or 7 or 8	634877
10	exp Psychiatric Status Rating Scales/ or exp psychometrics/	121407
11	exp Diagnosis/	696551
12	di.fs.	2135316
13	exp "Reference Values"/	148294
14	exp "sensitivity and specificity"/	458946
15	(diagnos* or screen*3 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or test*3 or detect* or assess* or rate or rates or rating or monitoring or scor*3 or measur* or determ* or examinat* or predict* or risk* or accura* or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative or questionnaire* or tool* or instrument* or inventor* or rule* or protocol* or pathway* or outcome* or algorithm* or interview*).ti,ab,kw,sh.	14084615
16	10 or 11 or 12 or 13 or 14 or 15	16332760
17	3 and 9 and 16	1438
18	limit 17 to (randomized controlled trial or controlled clinical trial)	152
19	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	468161
20	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw,sh.	275236
21	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	139834
22	19 or 20 or 21	586675
23	17 and 22	194

24 18 or 23	251
25 limit 24 to (yr="2011 -Current" and (danish or english or german or norwegian or swedish))	108

Embase

Database(s): **Embase** 1974 to 2016 February 19

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/ or exp Prostate Tumor/	177304
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	147429
3	1 or 2	196412
4	Depression/ or exp depression assessment/	297633
5	anxiety/ or exp anxiety assessment/ or exp anxiety, castration/ or exp catastrophization/	157302
6	(HADS or HAMD or Hamilton* or Goldberg* or Major Depression Inventory or MDI).ti,ab,kw.	34861
7	(depress* or distress* or anxiety or melancholi* or catastrophi*).ti,ab,kw,sh,kf,hw.	879259
8	(unipolar disorder or emotional function*).ti,ab,kw.	4200
9	4 or 5 or 6 or 7 or 8	896583
10	exp Psychiatric Status Rating Scales/ or exp psychometrics/	86176
11	exp Diagnosis/	5330553
12	exp screening/	534860
13	di.fs.	2758712
14	exp "Reference Values"/	56590
15	exp "sensitivity and specificity"/	239650
16	(diagnos* or screen*3 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or test*3 or detect* or assess* or rate or rates or rating or monitoring or scor*3 or measur* or determ* or examinat* or predict* or risk* or accura* or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative or questionnaire* or tool* or instrument* or inventor* or rule* or protocol* or pathway* or outcome* or algorithm* or interview*).ti,ab,kw,sh.	17916081
17	10 or 11 or 12 or 13 or 14 or 15 or 16	19381587
18	3 and 9 and 17	3881
19	limit 18 to (randomized controlled trial or controlled clinical trial)	327
20	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	634105
21	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw,sh.	464013
22	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	186090
23	20 or 21 or 22	881435
24	18 and 23	670
25	19 or 24	774
26	limit 25 to (yr="2011 -Current" and (danish or english or german or norwegian or swedish))	389

PsycINFO

Database(s): **PsycINFO** 1806 to February Week 2 2016

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/	3380
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,id,sh.	2346
3	1 or 2	5352
4	exp "Depression (Emotion)"/ or exp Major depression/	126314
5	exp anxiety/ or exp anxiety disorders/ or exp anxiety assessment/ or exp anxiety, castration/	119387
6	(HADS or HAMD or hamilton* or goldberg* or Major Depression Inventory or MDI).ti,ab,id.	14584
7	(depress* or distress or anxiety or melancholi* or catastrophi*).ti,ab,id.	373366
8	(unipolar disorder or emotional function*).ti,ab,id.	2921
9	4 or 5 or 6 or 7 or 8	414180
10	exp Diagnosis/ or exp Comorbidity/ or exp Dual diagnosis/ or exp Neuropsychological Assessment/ or exp "Diagnostic and Statistical Manual"/ or exp Research Diagnostic Criteria/ or exp Psychiatric Evaluation/ or exp Psychiatric assessment/ or exp psychological evaluation/ or exp psychological assessment/ or exp Psychometrics/ or exp Screening/	260236
11	exp "sensitivity and specificity"/	0
12	exp testing/	114603
13	(diagnos* or screening* or screen*2 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or test*3 or detect* or assess* or rate or rates or rating or monitoring or scor*3 or measur* or determ* or examinat* or predict* or risk* or accura* or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative or questionnaire* or scale* or interview* or tool* or instrument* or inventor* or rule* or protocol* or pathway* or outcome* or algorithm*).ti,ab,id.	2871607
14	(patient adj3 form*).ti,ab,id.	1133
15	10 or 11 or 12 or 13 or 14	2889737
16	3 and 9 and 15	686
17	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	71800
18	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj (blind* or mask*))).ti,ab,id.	41030
19	17 or 18	91735
20	16 and 19	68
21	limit 20 to (yr="2011-Current" and (danish or english or german or norwegian or swedish))	35

Cinahl

#	Query	Limiters/Expanders	Results
S17	S12 AND S16	Limiters - Published Date: 20110101-20160231; Language: Danish, English, German, Norwegian, Swedish	127

S16	S13 OR S14 OR S15	127,742
S15	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*)))	47,363
S14	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)	121,547
S13	PT (Randomized Controlled Trial)	30,280
S12	S3 AND S7 AND S11	1,508
S11	S8 OR S9 OR S10	352,975
S10	TX HADS or HAMD or Hamilton* or goldberg* or Major Depression Inventory or MDI or depress* or distress or anxiety or "unipolar NO disorder" or "emotional NO function*"	352,949
S9	MH ("Anxiety+")	18,212
S8	MH ("Depression+")	49,899
S7	S4 OR S5 OR S6	1,781,696
S6	TX ((diagnos* or screen* or evaluat* or estimat* or identif* or pre-test*3 or post-test* or test* or detect* or assess* or rate or rates or rating or monitoring or scor* or measur* or determ* or examinat* or predict* or risk* or accura* or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative or questionnaire* or scale* or tool* or inventor* or instrument* or interview*))	1,771,652
S5	(MH "Diagnosis") OR (MH "Diagnosis, Cardiovascular+") OR (MH "Diagnosis, Computer Assisted+") OR (MH "Diagnosis, Delayed") OR (MH "Diagnosis, Dual (Psychiatry)") OR (MH "Diagnosis, Psychosocial+") OR (MH "Early Diagnosis+") OR (MH "Nursing Diagnosis") OR (MH "Risk Assessment") OR ("Screening+")	211,336
S4	(MH "Psychological Tests+")	82,467
S3	s1 or s2	12,717
S2	((prostatic or prostate) N2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*))	12,717
S1	MH ("Prostatic neoplasms+")	11,423

Pedro

Abstract & Title: prostate cancer depression

Method: clinical trial

Published since: 2011

4 fund

PICO 2: Bør patienter med prostatakraft, der påbegynder kastrationsbaseret behandling, tilbydes moderat til intensiv superviseret træning fremfor vanlig aktivitet?

PICO 3 Bør patienter med prostatakraft, der har været i kastrationsbaseret behandling i mindst 6 måneder, tilbydes moderat til intensiv superviseret træning?

Samsøgt 24.02.2016

Medline

Database(s): **Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present**

Search Strategy:

#	Searches	Results
1	exp Prostatic neoplasms/	101156
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	98888
3	exp Castration/ or exp Androgen Antagonists/	65362
4	((androgen* or hormon*) adj3 (deprivation or suppress* or suppress* or ablat* or block* or withdraw* or effect* or therapy or treatment)).ti,ab,kw.	87238
5	((hormon* or ablation or endocrine or antiandrogen or anti-androgen) adj3 (therapy or treat*)).ti,ab,kw.	64148
6	1 or 2 or 3 or 4 or 5	261948
7	exp exercise/	134945
8	exp exercise therapy/	34963
9	exp Sports/	141073
10	exp Physical Exertion/	53802
11	exp Muscle strength/	21247
12	exp Exercise Movement Techniques/	5913
13	exp "Physical Education and Training"/	14164
14	exp Hydrotherapy/	18209
15	Weight-Bearing/	16323
16	(exercis* or train*).ti,ab,kw,sh.	605302
17	((muscl* or resistance or physical or endurance or strength* or aquatic*) adj3 (training or exercise* or strength* or fit* or condition*)).ti,ab,kw.	329896
18	(aerobic* or anaerobic* or movement therapy or watergym* or water gym* or aquagym or gym* or hydrotherap* or pilates or spinning).ti,ab,kw.	123876
19	(Skate* or skating or Jog* or powerwalk* or zumba or Swim* or Bicycl* or cycling or walk* or rowing or pacing or paced or titreted or soccer or football or handball or cricket or hockey or baseball or basketball or volleyball or ball game* or (play* adj2 ball) or (weight* adj3 (lift* or train* or exercis*))).ti,ab,kw.	227278
20	7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19	1232553
21	6 and 20	8959
22	limit 21 to (randomized controlled trial or controlled clinical trial)	680
23	((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	468533

24 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	225335
25 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	139885
26 23 or 24 or 25	548388
27 21 and 26	971
28 22 or 27	1223
29 limit 28 to (yr="2015 -Current" and (danish or english or german or norwegian or swedish))	79

Embase

Database(s): **Embase** 1974 to 2016 February 23

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/ or exp Prostate tumor/	177381
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	147496
3	exp Castration/ or exp Androgen Antagonists/ or exp androgen deprivation therapy/ or hormonal therapy/	102030
4	((androgen* or hormon*) adj3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or treatment)).ti,ab,kw.	114466
5	((hormon* or ablation or endocrine or antiandrogen or anti-androgen) adj3 (therapy or treat*)).ti,ab,kw.	89890
6	1 or 2 or 3 or 4 or 5	370510
7	exp exercise/	247854
8	exp exercise therapy/	56133
9	exp Sports/	117011
10	exp Physical Exertion/	247854
11	exp Muscle strength/	41660
12	exp Exercise Movement Techniques/	56133
13	exp "Physical Education and Training"/	10962
14	exp Hydrotherapy/	3749
15	Weight-Bearing/	22153
16	(exercis* or train*).ti,ab,kw,sh.	823087
17	((muscl* or resistance or physical or endurance or strength* or aquatic*) adj3 (training or exercise* or strength* or fit* or condition*)).ti,ab,kw.	397995
18	(aerobic* or anaerobic* or movement therapy or watergym* or water gym* or aquagym or gym* or hydrotherap* or pilates or spinning).ti,ab,kw.	153257
19	(Skate* or skating or Jog* or powerwalk* or zumba or Swim* or Bicycl* or cycling or walk* or rowing or pacing or paced or titreted or soccer or football or handball or cricket or hockey or baseball or basketball or volleyball or ball game* or (play* adj2 ball) or (weight* adj3 (lift* or train* or exercis*))).ti,ab,kw.	293835
20	7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19	1549403
21	6 and 20	13832
22	limit 21 to (randomized controlled trial or controlled clinical trial)	982
23	((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	634432
24	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	303599
25	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	186153

26 23 or 24 or 25	741870
27 21 and 26	1685
28 22 or 27	2028
29 limit 28 to (yr="2015 -Current" and (danish or english or german or norwegian or swedish))	126

Cinahl

#	Query	Limiters/Expanders	Results
S14	(S10 OR S11 OR S12) AND (S8 AND S13)	Limiters - Published Date: 20150101-20160231; Language: Danish, English, German, Norwegian, Swedish	14
S13	S10 OR S11 OR S12		127,808
S12	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*)))		47,379
S11	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		121,614
S10	PT (Randomized Controlled Trial)		30,281
S9	s3 AND s8		1,176
S8	(S1 or S2 or S3) AND (S4 OR S5 OR S6 OR S7)		1,598
S7	(Skate* or skating or Jog* or running or zumba or Swim* or Bicycl* or cycling or walk* or powerwalk* or rowing or pacing or paced or titreted or soccer or football or handball or cricket or baseball or basketball or hockey or volleyball or ball game* or (play* N2 ball) or (weight* N3 (lift* or train* or exercis*)))		64,187
S6	(aerobic* or anaerobic* or movement therapy or watergym* or water gym* or aquagym or gym* or hydrotherap* or pilates or spinning)		14,708
S5	(exercis* or train* or ((muscl* or resistance or physical or endurance or strength* or aquatic*) N3 (training or exercise* or strength* or fit* or condition* or performance)))		197,822
S4	MH ("Exercise+" OR "Exercise therapy+" OR "Sports+" OR "Physical Exertion+" OR "Muscle strength+" OR "Exercise Movement Techniques+" OR "Physical Education and Training+" OR "Hydrotherapy+" OR "Weight-Bearing")		99,338
S3	TX ((androgen* or hormon*) N3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or		15,812

	treatment)) OR TX ((hormon* or ablation or endocrine or antiandrogen or anti-androgen) N3 (therapy or treat*))		
S2	((prostatic or prostate) N2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*))		12,722
S1	(MH "Prostatic Neoplasms+")		11,423

Pedro

Abstract & Title: Prostate cancer, Prostate tumor

Therapy: Fitness training OR Strength training

Method: Clinical trial

Published since: 2015

14 fund

PICO 4: Bør mænd som efter prostatektomi for prostatakraft er inkontinente tilbydes bækkenbundstræning?

Søgt 06.01.2015

Medline

17 exp Prostatic neoplasms/	104159
18 ((prostatic or prostate) adj2 (cancer* or neoplasm* or tumor* or carcinoma* or oncolog*)).ti,ab,kw,sh.	101845
19 exp Prostatectomy/	25626
20 (Prostatect* or post-prostatect*).ti,ab,kw,sh.	31522
21 17 or 18 or 19 or 20	139715
22 exp Urinary Incontinence/	27863
23 (incontinence or bladder or pelvic* or leak*).ti,ab,kw,sh.	317420
24 22 or 23	322995
25 (train* or exercis* or improv* or physiotherapy or physical therapy or kegel* or biofeedback or intervention*).ti,ab,kw,sh.	2636259
26 24 and 25	54843
27 21 and 26	3462
28 limit 27 to (randomized controlled trial or controlled clinical trial)	298
29 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw,sh.	497219
30 (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj2 (blind* or mask*))).ti,ab,kw,sh.	284960
31 29 or 30	616209
32 27 and 31	429
33 28 or 32	523
34 limit 33 to (yr="2014 - current" and (danish or english or german or norwegian or swedish))	62

Embase

Database(s): **Embase** 1974 to 2016 January 05

Search Strategy:

#	Searches	Results
1	exp Prostatic cancer/ or exp Prostate tumor/ or exp Prostatectomy/	183102
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumor* or carcinoma* or oncolog*) or prostatect* or post-prostatect*).ti,ab,kw,sh.	145592
3	1 or 2	184300
4	exp Urine Incontinence/	58919
5	(incontinence or bladder or pelvic* or leak*).ti,ab,kw,sh.	438911
6	4 or 5	455466
7	(train* or exercis* or improv* or physiotherapy or physical therapy or kegel* or biofeedback or intervention*).ti,ab,kw,sh.	3479105
8	6 and 7	89609

9	3 and 8	4496
10	limit 9 to (randomized controlled trial or controlled clinical trial)	220
11	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw,sh.	634140
12	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj2 (blind* or mask*))).ti,ab,kw,sh.	460944
13	11 or 12	878280
14	9 and 13	534
15	10 or 14	618
16	limit 15 to (yr="2014 - current" and (danish or english or german or norwegian or swedish))	115

PsycInfo

Database(s): **PsycINFO** 1806 to December Week 5 2015

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/	3333
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*) or prostatect* or post-prostatect*).ti,ab,id,sh.	2326
3	1 or 2	5289
4	exp Urinary Incontinence/	1794
5	(incontinence or bladder or pelvic* or leak*).ti,ab,id,sh.	7279
6	4 or 5	8149
7	(train* or exercis* or improv* or physiotherapy or physical therapy or kegel* or biofeedback or intervention*).ti,ab,id,sh.	779853
8	6 and 7	2309
9	3 and 8	52
10	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id,sh,md.	71200
11	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj (blind* or mask*))).ti,ab,id,sh.	40863
12	10 or 11	91096
13	9 and 12	8
14	limit 13 to (yr="2014 - current" and (danish or english or german or norwegian or swedish))	0

Cinahl

#	Query	Limiters/Expanders	Results
S15	S9 AND S13	Limiters - Published Date: 20140101-20160131	12
S14	S9 AND S13		89
S13	S10 OR S11 OR S12		749,612

S12	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*)))	682,648
S11	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)	118,188
S10	PT Randomized Controlled Trial	30,144
S9	s3 and s8	228
S8	S6 AND S7	11,421
S7	TX (train* or exercis* or improv* or physiotherapy or physical therapy or kegel* or biofeedback or intervention* or rehabilitation)	731,847
S6	s4 or s5	30,892
S5	TX (incontinence or bladder or pelvic* or leak*)	30,892
S4	MH "Urinary Incontinence+"	7,161
S3	S1 OR S2	12,659
S2	((prostatic or prostate) N2 (cancer* or neoplasm* or tumo#r* or carcinoma* or oncolog*))	12,659
S1	MH "Prostatic neoplasms+"	11,380

PEDRO

Abstract & Title: Prostate Cancer AND (incontinence or bladder or pelvic* or leak*)

Method: Clinical trial

Published since: 2014

2 fund

PICO 5: Bør alle patienter med prostatakraft tilbydes sexologisk rådgivning?

Søgt 27.02.2016

Medline

Database(s): **Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)** 1946 to Present

Search Strategy:

#	Searches	Results
1	exp Prostatic neoplasms/ or exp Prostatectomy/	111732
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumor* or carcinoma* or oncolog*) or prostatect* or post-prostatect*).ti,ab,kw,sh.	98916
3	exp Castration/ or Androgen antagonist/	61580
4	((androgen* or hormon*) adj3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or treatment)).ti,ab,kw.	87260
5	((((hormon* or ablation or endocrine) adj3 therapy) or adt).ti,ab,kw.	42493
6	1 or 2 or 3 or 4 or 5	252094
7	(sexual or sexological or sexuality or psychosex* or psycho-sex* or psycholog* or intimacy or couple* or spous* or partner* or dyad* or Impotence or erectile dysfunction).ti,ab,kw,sh.	793750
8	(Counsel* or counsel* or Therap* or Treat* or inform* or Intervention* or education* or psychoeducation or psycho-education or lesson* or involv* or Train* or Course* or program* or Coach* or session* or consult* or guid* or advic* or advis* or interview* or questionnaire* or (patient adj3 form*) or computer* or internet or web-based).ti,ab,kw,sh.	9412463
9	7 and 8	430928
10	6 and 9	10697
11	limit 10 to (randomized controlled trial or controlled clinical trial)	592
12	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	468903
13	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	225431
14	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	139936
15	12 or 13 or 14	548793
16	10 and 15	977
17	11 or 16	1167
18	limit 17 to (yr="2015 - current" and (danish or english or german or norwegian or swedish))	67

Embase

Database(s): **Embase** 1974 to 2016 February 26

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/ or exp Prostate tumor/	177453
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumor* or carcinoma* or oncolog*)).ti,ab,kw,sh.	147582
3	exp Castration/ or exp Androgen Antagonists/ or exp androgen deprivation therapy/ or hormonal therapy/	102071
4	((androgen* or hormon*) adj3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or treatment)).ti,ab,kw.	114678

	or effect* or therapy or treatment)).ti,ab,kw.	
5	((((hormon* or ablation or endocrine) adj3 therapy) or adt).ti,ab,kw.	63189
6	1 or 2 or 3 or 4 or 5	361069
7	(sexual or sexological or sexuality or psychosex* or psycho-sex* or psycholog* or intimacy or couple* or spous* or partner* or dyad* or Impotence or erectile dysfunction).ti,ab,kw,sh.	1428918
8	(Counsel* or counsel* or Therap* or Treat* or inform* or Intervention* or education* or psychoeducation or psycho-education or lesson* or involv* or Train* or Course* or program* or Coach* or session* or consult* or guid* or advic* or advis* or interview* or questionnaire* or (patient adj3 form*) or computer* or internet or web-based).ti,ab,kw,sh.	13033043
9	7 and 8	851900
10	6 and 9	19579
11	limit 10 to (randomized controlled trial or controlled clinical trial)	1137
12	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	634773
13	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	303714
14	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	186216
15	12 or 13 or 14	742245
16	10 and 15	1974
17	11 or 16	2397
18	limit 17 to (yr="2015 - current" and (danish or english or german or norwegian or swedish))	141

PsycINFO

Database(s): **PsycINFO** 1806 to February Week 4 2016

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/	3406
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,id,sh.	2360
3	((androgen* or hormon*) adj3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or treatment)).ti,ab,id.	6071
4	((((hormon* or ablation or endocrine) adj3 therapy) or adt).ti,ab,id.	2366
5	1 or 2 or 3 or 4	11515
6	(sexual or sexological or sexuality or psychosex* or psycho-sex* or intimacy or couple* or spous* or partner* or dyad* or Impotence or erectile dysfunction).ti,ab,id,sh.	278977
7	(Counsel* or counsel* or Therap* or Treat* or inform* or Intervention* or lesson* or involv* or Train* or Course* or program* or education* or psychoeducation* or psycho-education* or Coach* or session* or consult* or guid* or advic* or advis* or interview* or questionnaire* or (patient adj3 form*) or computer* or internet or web-based).ti,ab,id,sh.	2370565
8	6 and 7	180968
9	(psychotherapy or cbt or (cognitive adj3 therapy)).ti,ab,id.	108493
10	5 and (8 or 9)	1856
11	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	72056
12	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj (blind* or mask*))).ti,ab,id.	41112

13 11 or 12	92022
14 10 and 13	135
15 limit 14 to (yr="2015 - current" and (danish or english or german or norwegian or swedish))	10

Cinahl

#	Query	Limiters/Expanders	Results
S15	S9 AND S13	Limiters - Published Date: 20150101- 20160131	48
S14	S9 AND S13		838
S13	S10 OR S11 OR S12		756,148
S12	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*)))		688,283
S11	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		121,755
S10	PT Randomized Controlled Trial		30,318
S9	S5 and ((s6 and s7) or S8)		2,804
S8	psychotherapy or (cognitive N3 therapy) or CBT		23,375
S7	TX (Counsel* or councel* or Therap* or Treat* or inform* or Intervention* or education* or psychoeducation or psycho-education or lesson* or involv* or Train* or Course* or program* or Coach* or session* or consult* or guid* or advic* or advis* or interview* or questionnaire* or (patient N3 form*) or computer* or internet or web-based)		2,146,468
S6	TX (sexual or sexological or sexuality or psychosex* or psycho-sex* or psycholog* or intimacy or couple* or spous* or partner* or dyad* or Impotence or erectile dysfunction)		384,862
S5	S1 or S2 or S3 or S4		26,949
S4	TX (((hormon* or ablation or endocrine) N3 therapy) or adt)		11,097
S3	TX ((androgen* or hormon*) N3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or treatment))		14,328
S2	TX ((prostatic or prostate) N2 (cancer* or neoplasm* or tumo#r* or carcinoma* or oncolog*))		13,040
S1	MH "Prostatic neoplasms+"		11,427

PEDRO

Abstract & Title: Prostate Cancer AND (sex* or psychosex* or intima*)

Method: Clinical trial

Published since: 2015

6 fund

PICO 6: Bør patienter med prostatakræft i kastrationsbaseret behandling tilbydes regelmæssig undersøgelse for kardio-vaskulære risikofaktorer?

Søgt 17.02.2016

Medline

Database(s): Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present
Search Strategy:

#	Searches	Results
1	exp Prostatic neoplasms/	101011
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	98684
3	1 or 2	123100
4	exp Castration/ or exp Androgen Antagonists/	65326
5	((androgen* or hormon*) adj3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or treatment)).ti,ab,kw.	87153
6	((((hormon* or ablation or endocrine) adj3 therapy) or adt).ti,ab,kw.	42427
7	4 or 5 or 6	149009
8	3 and 7	17909
9	exp Cardiovascular Diseases/	2014832
10	exp Thromboembolism/	46863
11	exp Stroke/	97567
12	Cerebrovascular disorders/	44191
13	exp "Intracranial Embolism and Thrombosis"/	19267
14	exp brain ischemia/	87782
15	(stroke or infarct* or ischemi* or thrombo* or emboli* or mi or myocardial infarct or cvd or chd or cad or pad or cva or atheroscleros* or arterioscleros* or acs or angina or acute coronary syndrome* or af or atrial fibrillation).ti,ab,kw.	1062750
16	((cardiac or cardiovascular or cardio-vascular or cardio vascular or coronary or peripheral vascular or heart or peripheral arter* or cerebrovascular or cardiopulmonary) adj3 (accident* or disease* or disorder or mortality or morbidity or event* or risk* or complications or death* or trauma or failure* or arrest or attack*)).ti,ab,kw.	587634
17	(Hypertension or hypertensive* or metaboli* or systemic* or blood pressure or bp or Body mass index or BMI or Glucose intolerance or fasting glucose or insulin resistance or waist-to-hip ratio or triglycerides or lipoprotein or HDL or LDL or cholesterol or c-reactive protein or adiponectin or blood pressure or smok*3 or tobacco).ti,ab,kw.	2301119
18	or/9-17	4244092
19	(diagnos* or screening* or screen*2 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or test*3 or detect* or assess* or monitor* or scor*3 or measur* or determ* or examinat* or predict* or risk* or accura* or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature*).ti,ab,kw,sh.	12951092
20	(specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative or inventor* or scale or scales or rule* or protocol* or pathway* or algorithm* or questionnaire* or interview*).ti,ab,kw,sh.	3243811
21	((inquiry or patient) adj3 form*).ti,ab,kw.	4703
22	19 or 20 or 21	13641489

23 8 and 18 and 22	2128
24 limit 23 to (randomized controlled trial or controlled clinical trial)	178
25 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	467663
26 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	225097
27 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	139775
28 25 or 26 or 27	547459
29 23 and 28	301
30 24 or 29	368
31 limit 23 to (comparative study or evaluation studies or multicenter study or observational study or twin study or validation studies)	296
32 exp Epidemiologic studies/	1829351
33 ((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) adj1 (study or studies or trial*1 or analys*)).ti,ab,kw.	908310
34 32 or 33	2214473
35 23 and 34	528
36 31 or 35	690
37 30 or 36	892
38 limit 37 to (yr="2005 - current" and (danish or english or german or norwegian or swedish))	598

Embase

Database(s): **Embase** 1974 to 2016 February 16

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/ or exp Prostate tumor/	177127
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	147205
3	1 or 2	196167
4	exp Castration/ or exp Androgen Antagonists/ or exp androgen deprivation therapy/ or hormonal therapy/	101901
5	((androgen* or hormon*) adj3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therapy or treatment)).ti,ab,kw.	114245
6	((((hormon* or ablation or endocrine) adj3 therapy) or adt).ti,ab,kw.	63061
7	4 or 5 or 6	195805
8	3 and 7	31851
9	exp cardiovascular disease/	3328210
10	exp cerebrovascular disease/	450112
11	(stroke or infarct* or ischemi* or thrombo* or emboli* or mi or myocardial infarct or cvd or chd or cad or pad or cva or atheroscleros* or arterioscleros* or acs* or angina or acute coronary syndrome* or af or atrial fibrillation).ti,ab,kw.	1503573
12	((cardiac or cardiovascular or cardio-vascular or cardio vascular or coronary or peripheral vascular or heart or peripheral arter* or cerebrovascular or cardiopulmonary) adj3 (accident* or disease* or disorder or mortalit* or morbidity or event* or risk* or complications or death* or trauma or failure* or arrest or attack*)).ti,ab,kw.	880967

13 (Hypertension or hypertensive* or metaboli* or systemic* or blood pressure or bp or Body mass index or BMI or Glucose intolerance or fasting glucose or insulin resistance or waist-to-hip ratio or triglycerides or lipoprotein or HDL or LDL or cholesterol or c-reactive protein or adiponectin or blood pressure or smok*3 or tobacco).ti,ab,kw.	3004072
14 9 or 10 or 11 or 12 or 13	5831573
15 (diagnos* or screening* or screen or test*3 or evaluat* or estimat* or identif* or detect* or assess* or monitor* or scor*3 or determ* or examinat* or predict* or risk* or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature*).ti,ab,kw,sh.	15864995
16 (inventor* or scale or scales or rule* or protocol* or pathway* or algorithm* or questionnaire* or interview*).ti,ab,kw,sh.	3138734
17 ((inquiry or patient) adj3 form*).ti,ab,kw.	7333
18 15 or 16 or 17	16556285
19 8 and 14 and 18	5264
20 limit 19 to (randomized controlled trial or controlled clinical trial)	367
21 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	633098
22 (placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw.	303114
23 ((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	185892
24 21 or 22 or 23	740402
25 19 and 24	771
26 20 or 25	942
27 limit 19 to multicenter study	168
28 Observational study/ or Multicenter study/ or exp comparative study/ or exp case control study/ or intervention study/ or exp longitudinal study/ or prospective study/ or retrospective study/ or Follow up/ or cohort analysis/ or cross-sectional study/ or crossover procedure/ or double blind procedure/ or single blind procedure/	3182639
29 ((Epidemiologic or cohort* or prospective or longitud* or follow-up or follow up or followup or retrospective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or comparative or intervention) adj1 (study or studies or trial*1 or analys*)).ti,ab,kw.	1241553
30 28 or 29	3604872
31 19 and 30	1786
32 27 or 31	1786
33 26 or 32	2286
34 limit 33 to (yr="2005 - current" and (danish or english or german or norwegian or swedish))	1930

Cinahl

#	Query	Limiters/Expanders	Results
S17	s7 and s11 and s16	Limiters - Published Date: 20050101-20160131; Language: Danish, English, German, Norwegian, Swedish	117
S16	S12 OR S13 OR S14 OR S15		514,539
S15	TX ((Epidemiologic or cohort* or perspective or prospective or		439,175

	longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) N3 (study or studies or trial* or analys*)		
S14	(placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))		46,145
S13	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		121,296
S12	PT Randomized Controlled Trial		30,206
S11	S8 or S9 or S10		487,219
S10	((cardiac or cardiovascular or cardio-vascular or cardio vascular or coronary or peripheral vascular or heart or peripheral arter* or cerebrovascular or cardiopulmonary) adj3 (accident* or disease* or disorder or mortality or morbidity or event* or risk* or complications or death* or trauma or failure* or arrest or attack*) OR Hypertension or hypertensive* or metaboli* or systemic* or blood pressure or bp or Body mass index or BMI or Glucose intolerance or fasting glucose or insulin resistance or waist-to-hip ratio or triglycerides or lipoprotein or HDL or LDL or cholesterol or c-reactive protein or adiponectin or blood pressure or or diabetes or smok*3 or tobacco)		245,827
S9	(stroke or infarct* or ischemi* or thrombo* or emboli* or mi or myocardial infarct or cvd or chd or cad or pad or cva or atheroscleros* or arterioscleros* or acs or angina or acute coronary syndrome* or af or atrial fibrillation)		155,696
S8	MH ("Cardiovascular Diseases+" OR "Diagnosis, Cardiovascular+" OR "Thromboembolism+" OR "Stroke+" OR "Cerebrovascular disorders" OR "Intracranial Embolism and Thrombosis+" OR "Cerebral ischemia+")		296,368
S7	(S1 or S2) and (S3 or S4 or S5 or s6)		1,665
S6	((LHRH* or gnRH*) N2 (antagonist* or agonist*)) or Castrat*)		692
S5	((hormone or ablation or endocrine or anti-androgen or antiandrogen) N3 (therap* or treatment*))		9,633
S4	((androgen or hormone) N3 (deprivation or suppress* or supress* or ablat* or block* or withdraw* or effect* or therap* or treatment*))		17,609
S3	(MH "Castration+") or (MH "Androgen Antagonists+")		792
S2	((prostatic or prostate) N2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*))		12,700
S1	MH ("Prostatic neoplasms+")		11,416

PICO 7: Bør patienter med prostatakraft der påbegynder kastrationsbaseret behandling tilbydes undersøgelse for knoglemineraltæthed?

Søgt 17.02.2016

Medline

Database(s): Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) 1946 to Present

Search Strategy:

30 exp Prostatic neoplasms/	101156
31 ((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	98796
32 30 or 31	123227
33 exp Castration/ or exp Androgen Antagonists/ or exp Orchiectomy/	65362
34 (((androgen or hormone) adj3 (deprivation or suppression or ablation or block* or antagonist* or gonadotropin*)) or ADT).ti,ab,kw.	26220
35 ((hormone or ablation or anti-androgen or antiandrogen) adj3 (therapy or treat*)).ti,ab,kw.	42464
36 ((bilateral adj2 orchiectomy) or ((LHRH* or GnRH*) adj2 (antagonist* or agonist*)) or Castrat*).ti,ab,kw.	30368
37 (testosterone replacement therapy or TRT or hypogonadism or (Adrenal adj2 Hormone*)).ti,ab,kw.	12513
38 33 or 34 or 35 or 36 or 37	145702
39 exp Diagnostic Imaging/	1855097
40 (((diagnostic* or therapeut*) adj3 imag*) or radiograph* or X-ray or xray or MRI or fMRI or magnetic resonance imag* or nuclear magnetic resonance or tomography or Bone Densitometry or Bone Density Scan* or absorptiometry or ultrasound or ultrasonography or sonograph* or echosonograph* or Dual-energy X-ray or DEXA or DXA or (CT adj3 (scan* or x-ray* or xray or imag*))).ti,ab,kw.	1155452
41 ((skeletal* or bone*) adj2 (strength or health or loss or complication*)).ti,ab,kw,sh.	35359
42 ((bone adj3 density) or BMD).ti,ab,kw,sh.	43615
43 (osteoporosis or oosteoporosis).ti,ab,kw,sh.	64518
44 39 or 40 or 41 or 42 or 43	2502539
45 32 and 38 and 44	2270
46 limit 45 to (randomized controlled trial or controlled clinical trial)	164
47 (((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw,sh.	483158
48 (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) adj2 (blind* or mask*))).ti,ab,kw,sh.	276171
49 47 or 48	598616
50 45 and 49	299
51 46 or 50	351
52 limit 45 to (comparative study or evaluation studies or multicenter study or observational study or twin study or validation studies)	271
53 exp Epidemiologic studies/	1832088
54 ((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) adj1 (study or studies or trial*1 or analys*)).ti,ab,kw.	909112
55 53 or 54	2216983
56 45 and 55	592

57 52 or 56	726
58 51 or 57	918
59 limit 58 to (yr="2005 - current" and (danish or english or german or norwegian or swedish))	626

Embase

Database(s): **Embase** 1974 to 2016 February 16

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/ or exp Prostate tumor/	177127
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw,sh.	147205
3	1 or 2	196167
4	exp Castration/ or exp Androgen Antagonists/ or exp androgen deprivation therapy/ or hormonal therapy/ or exp Orchiectomy/	113236
5	((((androgen or hormone) adj3 (deprivation or suppression or ablation or block* or antagonist* or gonadotropin*)) or ADT).ti,ab,kw.	33822
6	((hormone or ablation or anti-androgen or antiandrogen) adj3 (therapy or treat*)).ti,ab,kw.	58529
7	((bilateral adj2 orchiectomy) or ((LHRH* or GnRH*) adj2 (antagonist* or agonist*)) or Castrat*).ti,ab,kw.	36902
8	(testosterone replacement therapy or TRT or hypogonadism or (Adrenal adj2 Hormone*)).ti,ab,kw.	17620
9	4 or 5 or 6 or 7 or 8	209547
10	exp Diagnostic Imaging/	127119
11	((((diagnostic* or therapeut*) adj3 imag*) or radiograph* or X-ray or xray or MRI or fMRI or magnetic resonance imag* or nuclear magnetic resonance or tomography or Bone Densitometry or Bone Density Scan* or absorptiometry or ultrasound or ultrasonography or sonograph* or echosonograph* or Dual-energy X-ray or DEXA or DXA or (CT adj3 (scan* or x-ray* or xray or imag*))).ti,ab,kw.	1549023
12	((skeletal* or bone*) adj2 (mineral or strength or health or loss or complication*)).ti,ab,kw.	87621
13	((bone adj3 density) or BMD or osteoporosis or oesteoporosis).ti,ab,kw.	134502
14	10 or 11 or 12 or 13	1678743
15	3 and 9 and 14	4010
16	limit 15 to (randomized controlled trial or controlled clinical trial)	222
17	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw,sh.	642227
18	(placebo* or single-blind* or double-blind* or triple-blind* or ((single* or double or triple) adj2 (blind* or mask*))).ti,ab,kw,sh.	465103
19	17 or 18	888199
20	15 and 19	786
21	16 or 20	872
22	limit 15 to multicenter study	89
23	Observational study/ or Multicenter study/ or exp comparative study/ or exp case control study/ or intervention study/ or exp longitudinal study/ or prospective study/ or retrospective study/ or Follow up/ or cohort analysis/ or cross-sectional study/ or crossover procedure/ or double blind procedure/ or single blind procedure/	3182639
24	((Epidemiologic or cohort* or prospective or longitud* or follow-up or follow up or followup or retrospective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or comparative or intervention) adj1 (study or studies or trial*1 or analys*)).ti,ab,kw.	1241553

25	23 or 24	3604872
26	15 and 25	1582
27	22 or 26	1582
28	21 or 27	2084
29	limit 28 to (yr="2005 - current" and (danish or english or german or norwegian or swedish))	1783

Cinahl

#	Query	Limiters/Expanders	Results
S19	S13 AND S18		66
S18	S14 OR S15 OR S16 OR S17		514,716
S17	TX ((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) N3 (study or studies or trial* or analys*))		439,175
S16	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))		47,289
S15	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		121,296
S14	PT Randomized Controlled Trial		30,206
S13	S3 and S8 and S12		183
S12	S9 or S10 or S11		205,496
S11	((skeletal* or bone*) N2 (mineral or strength or health or loss or complication*)) or (bone N3 density) or BMD or osteoporosis or oestoporosis		13,025
S10	((diagnostic* or therapeut*) N3 imag*) or radiograph* or X-ray or MRI or fMRI or magnetic resonance imag* or nuclear magnetic resonance or tomography or Bone Densitometry or Bone Density Scan* or ultrasound or ultrasonography or sonograph* or echosonograph* or Dual-energy X-ray or absorptiometry or DEXA or DXA or ("CT" N3 (scan* or x-ray* or imag*))		169,701
S9	MH ("Diagnostic Imaging+")		142,353
S8	S4 or S5 or S6 or S7		11,862
S7	((bilateral N2 orchiectomy) or ((LHRH* or gnRH*) N2 (antagonist* or agonist*)) or Castrat*)		705
S6	((hormone or ablation or antiandrogen or anti-androgen) N3 (therapy or treatment)		10,425
S5	((androgen or hormone) N3 (deprivation or suppression or ablation or block*))		673
S4	(MH "Castration+") or (MH "Androgen Antagonists+")		792
S3	S1 or S2		12,700
S2	((prostatic or prostate) N2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*))		12,700
S1	MH ("Prostatic neoplasms+")		11,416

PICO 8: Bør patienter med prostatakræft tilbydes gruppebaseret rehabilitering fremfor individbaseret?

19.03.2016

Medline

Database(s): **Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R)** 1946 to Present

Search Strategy:

#	Searches	Results
1	exp Prostatic neoplasms/	102024
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw.	98371
3	1 or 2	123792
4	exp Group processes/	143439
5	(group* or group-base* or conjoin* or interpersonal* or communit* or class* or team* or team-play* or fellowship or joint* or solidarity or fellow-feeling or "not alone").ti,ab,kw.	4142898
6	(football or ball game* or soccer* or bowling* or hockey or volleyball or basketball or baseball or (play adj1 ball)).ti,ab,kw.	16355
7	4 or 5 or 6	4257758
8	3 and 7	23840
9	limit 8 to (randomized controlled trial or controlled clinical trial)	2059
10	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	472294
11	(randomi* adj2 (patient* or particip* or client*)).ti,ab,kw.	39832
12	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw,sh.	276898
13	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	140584
14	(10 or 11 or 12 or 13) and (2013* or 2014* or 2015* or 2016*).ed.	112781
15	8 and 14	567
16	9 or 15	2313
17	limit 16 to (yr="2005 -Current" and (danish or english or german or norwegian or swedish))	1382
18	limit 17 to animals	12
19	limit 17 to female	118
20	18 or 19	129
21	17 not 20	1253

Embase

Database(s): **Embase** 1974 to 2016 March 17

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/ or exp Prostate tumor/	178740
2	((prostatic or prostate) adj2 (cancer* or neoplasm* or tumo?r* or carcinoma* or oncolog*)).ti,ab,kw.	142620
3	1 or 2	192461
4	exp Group processes/ or exp Group therapy/ or exp group dynamics/	109751

5	(group* or group-base* or team* or team-play*).ti,ab,kw.	3879543
6	(football or ball game* or soccer* or bowling* or hockey or volleyball or basketball or baseball or (play adj1 ball)).ti,ab,kw.	19502
7	4 or 5 or 6	3962373
8	3 and 7	31875
9	limit 8 to (randomized controlled trial or controlled clinical trial)	2380
10	((((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kw.	638333
11	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,kw,sh.	466093
12	((single or double or triple) adj2 (blind* or mask*)).ti,ab,kw.	186933
13	(10 or 11 or 12) and (2013* or 2014* or 2015* or 2016*).em.	240786
14	8 and 13	1373
15	9 or 14	3316
16	limit 15 to (yr="2005 -Current" and (danish or english or german or norwegian or swedish))	2391
17	limit 16 to animals	5
18	limit 16 to female	291
19	17 or 18	295
20	16 not 19	2096
21	(denosumab or zoledronic or antagonist*).ti,ab,kw.	360839
22	20 not 21	1942
23	(radiation therapy or radiotherapy or androgen deprivation therapy or ultrasonography or chemotherapy).ti.	224171
24	22 not 23	1556
25	limit 24 to (evidence based medicine or consensus development or meta analysis or "systematic review")	91
26	24 not 25	1465

PsycInfo

Database(s): **PsycINFO** 1806 to March Week 3 2016

Search Strategy:

#	Searches	Results
1	exp Prostate cancer/	3427
2	((((prostatic or prostate) adj2 (cancer* or neoplasm* or tumor* or carcinoma* or oncolog*)) or post-prostat*).ti,ab,id.	2350
3	1 or 2	5404
4	exp Group intervention/	1422
5	exp Conjoint therapy/	554
6	exp Therapeutic community/	2645
7	exp Group psychotherapy/	20756
8	(group* or group-base* or conjoin* or interpersonal* or communit* or class* or team* or team-play* or fellowship or joint* or solidarity or fellow-feeling or "not alone").ti,ab,id.	1240352
9	(football or ball game* or soccer* or bowling* or hockey or volleyball or basketball or baseball or (play adj1 ball)).ti,ab,id.	9254
10	4 or 5 or 6 or 7 or 8 or 9	1245249
11	3 and 10	2299

12	((random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	72440
13	(randomi* adj2 (patient* or particip* or client*)).ti,ab,id.	4039
14	(placebo* or single-blind* or double-blind* or triple-blind*).ti,ab,id,sh.	41228
15	((single or double or triple) adj2 (blind* or mask*)).ti,ab,id.	21966
16	12 or 13 or 14 or 15	93536
17	11 and 16	283
18	limit 17 to (yr="2005 -Current" and (danish or english or german or norwegian or swedish))	248

Cinahl

#	Query	Limiters/Expanders	Results
S15	S13 NOT S14		317
S14	PT Systematic review		38,996
S13	S3 AND S7 AND S12	Limiters - Published Date: 20050101-20160231; Language: Danish, English, German, Norwegian, Swedish	358
S12	S8 OR S9 OR S10 OR S11		129,567
S11	TX ((randomi* N2 (patient* or particip* or client*))		9,157
S10	TX (placebo* or single-blind* or double-blind* or triple-blind* or ((single or double or triple) N1 (blind* or mask*))		47,550
S9	TX (((random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)		122,280
S8	PT (Randomized Controlled Trial)		30,390
S7	S4 or S5 or S6		1,003,896
S6	TX (football or ball game* or soccer* or cricket or handball or bowling* or hockey or volleyball or basketball or baseball or ball play or play ball)		12,328
S5	TX (group* or group-base* or conjoin* or interpersonal* or communit* or class* or team* or fellowship or joint* or solidarity or fellow-feeling)		930,419
S4	(MH "Group Exercise") OR (MH "Support Groups+") OR (MH "Psychotherapy, Group+") OR (MH "Group Processes+") OR (MH "Therapy Group (Iowa NIC)") OR (MH "Resource Utilization Group")		142,049
S3	S1 OR S2		12,822
S2	((prostatic or prostate) N2 (cancer* or neoplasm* or tumo#r* or carcinoma* or oncolog*) or post-prostat*)		12,822
S1	MH "Prostatic neoplasms+"		11,458

Pedro

Abstract & Title: Prostate Cancer AND (group* OR team*)

Method: Clinical trial

Published since: 2005

65 fund
