













































































































































































































- [162] Rygard S.L., Holst L.B., Wetterslev J., Johansson P.I., Perner A. : Higher vs. lower haemoglobin threshold for transfusion in septic shock: subgroup analyses of the TRISS trial. *Acta Anaesthesiologica Scandinavica* 2017;61(2):166-175 [Journal Link](#)
- [163] So-Osman C., Nelissen R., Brand R., Faber F., Slaa R.T., Stiggelbout A., Brand A. : The impact of a restrictive transfusion trigger on post-operative complication rate and well-being following elective orthopaedic surgery: A post-hoc analysis of a randomised study. *Blood Transfusion* 2013;11(2):289-295 [Journal Link](#)
- [164] Tay J., Allan D.S., Chatelain E., Coyle D., Elemary M., Petrlich W., Ramsay T., Tinmouth A., Walker I., Xenocostas A., Fergusson D. : Transfusion of red cells in hematopoietic stem cell transplantation (TRIST study): A randomized controlled trial evaluating 2 red cell transfusion thresholds. *Blood* 2016;128(22): [Link](#)
- [165] Walsh T.S., Boyd J.A., Watson D., Hope D., Lewis S., Krishan A., Forbes J.F., Ramsay P., Pearse R., Wallis C., Cairns C., Cole S., Wyncoll D. : Restrictive versus liberal transfusion strategies for older mechanically ventilated critically ill patients: A randomized pilot trial. *Critical Care Medicine* 2013;41(10):2354-2363 [Journal Link](#)
- [166] Wang S.-C., Shieh J.-F., Chang K.-Y., Chu Y.-C., Liu C.-S., Loong C.-C., Chan K.-H., Mandell S., Tsou M.-Y. : Thromboelastography-guided transfusion decreases intraoperative blood transfusion during orthotopic liver transplantation: Randomized clinical trial. *Transplantation proceedings* 2010;42(7):2590-2593 [Journal Link](#)
- [167] Wikkelso AEA : Thromboelastography (TEG) or thromboelastometry (ROTEM) to monitor haemostatic treatment versus usual care in adults or children with bleeding. *Cochrane library* CD007871 2016; [Journal](#)
- [168] Shehata N, Burns LA, Nathan H, Hebert P, Hare GMT, Fergusson D, Mazer CD : A randomized controlled pilot study of adherence to transfusion strategies in cardiac surgery.. *Transfusion* 2012;52(1):91-9 [PubMed Journal](#)
- [169] Søgeprotokol for NKR Indikation for transfusion med blodkomponenter - Baggrundssøgning. Sundhedsstyrelsen, 2014. [Link](#)
- [170] Søgeprotokol for NKR Indikation for transfusion med blodkomponenter - Opfølgende søgning. Sundhedsstyrelsen, 2014. [Link](#)
- [171] Flowchart for NKR Indikation for transfusion med blodkomponenter. Sundhedsstyrelsen, 2014. [Link](#)
- [172] Søgeprotokol for opdateret NKR Indikation for transfusion med blodkomponenter. Guidelines. Sundhedsstyrelsen, 2017. [Link](#)
- [173] Søgeprotokol for opdateret NKR Indikation for transfusion med blodkomponenter. PICO's. Sundhedsstyrelsen, 2018. [Link](#)
- [174] Flowchart for NKR Indikation for transfusion med blodkomponenter. Sundhedsstyrelsen, 2018.